l'd prefer to know and be in the safe zone. – SARA You wanna see your kids grow up. You want to be there for their big moments. – AMANDA Getting a Cervical Screening Test is the best way to make sure your cervix stays healthy.

Cervical Screening Test

What does it test for?	HPV infection, which can lead to pre-cancer and cancerous changes in the cervix
How often?	Every 5 years
When to start?	You will be invited from the age of 25 years
When to stop?	You will have your last Cervical Screening Test between 70–74 years of age

Family Planning NSW is an inclusive service where everybody is welcome.

For more information on Cervical Screening Tests, please visit **www.testoutwest.org.au** or call the Family Planning NSW Talkline on **1300 658 886** or visit **www.fpnsw.org.au/talkline**

To talk to someone in your language, call the Translating and Interpreting Service (TIS) on **131 450**. Ask them to connect you to Family Planning NSW.

Family Planning NSW also respectfully acknowledges the Darug, Gundungurra and Dharawal people as the traditional owners of the land we live and work on across south western Sydney and western Sydney. Our hope and belief is that we can move to a place of equity and justice and work hand-in-hand together.



Proudly supported by Cancer Institute NSW Your take-home guide to The Cervical Screening Test



When life gets busy, it's not always easy to find time to take care of ourselves.

By getting regular Cervical Screening Tests, cervical cancer becomes one of Australia's most preventable cancers.

What is the Cervical Screening Test?

The Cervical Screening Test is a simple test that looks for signs of human papillomavirus (HPV), a virus which can cause abnormal changes in the cells of the cervix. If left untreated, these cell changes can eventually cause cervical cancer.

Who should have a Cervical Screening Test?

Women and people with a cervix, aged between 25 and 74 who have ever been sexually active. This includes people who:

- → are HPV vaccinated or unvaccinated
- → haven't been sexually active for a long time
- \rightarrow have only had sex with one partner
- \rightarrow have only had sex with women
- \rightarrow feel healthy and have no symptoms
- \rightarrow have been through menopause

How often should you have a Cervical Screening Test?

Cervical Screening Tests are recommended every five years for women and people with a cervix who are between ages 25 and 74.

If HPV is detected, more testing may be recommended until your results are normal.

What is HPV?

HPV is a common virus spread through sexual activity and is the cause of almost all cervical cancers. Most people will have HPV at some point in their life and it often clears up on its own without causing any issues. Cervical cancer is a rare outcome of an HPV infection that doesn't clear up by itself.

Sexual activity includes:

- \rightarrow vaginal, oral or anal sex
- \rightarrow genital (penis or vagina) skin-to-skin contact
- → sharing of sex toys

What if I have been vaccinated for HPV?

The HPV vaccine (known as Gardasil) reduces your risk of developing cervical cancer. It protects you against the types of HPV that cause most cervical cancers, but it does not protect you against all of them. Even if you are vaccinated you still need to have regular Cervical Screening Tests.

Where can you get a Cervical Screening Test?

You can make an appointment at a:

- \rightarrow Family Planning NSW clinic
- → local doctor or general practice (GP)
- → local Aboriginal Medical Service
- \rightarrow women's health centre

You can bring a support person to your appointment to make you feel more comfortable. You can ask if a female doctor or nurse is available to do the test.

How is a Cervical Screening Test done?

The Cervical Screening Test is quick and simple and only takes a few minutes. The doctor or nurse will explain what will happen during the test. Knowing what to expect will allow you to relax and make the test more comfortable.

You can now choose from two ways to have your Cervical Screening Test.

1. Collecting your own vaginal sample (self-collection):

You will be given a swab to gently insert inside the vagina in a private area. You can also ask your healthcare provider for help if needed.

2. Having your healthcare provider collect your sample:

This involves the healthcare provider gently inserting a speculum into your vagina and collecting a swab from the cervix (similar to having a pap test). The test should not hurt at all, but you might feel a bit of discomfort.

Both tests are safe and accurate for detecting HPV. If you choose to collect the swab yourself, there is a small chance that you may need to return to your doctor or nurse for a clinician-collected test if HPV is detected.

Talk to your healthcare provider about which choice may be right for you.

Results

The doctor or nurse will let you know when your results will be available. If your result shows that you have HPV, it means that you may be at risk of developing cervical cancer in the future. Your doctor will talk to you about what happens next. If your result does not find HPV, you will be due for another Cervical Screening Test in five years.

Worried you won't remember when to have your next test? The National Cancer Screening Register will send you a letter when your next Cervical Screening Test is due.