
Fact Sheet - Fars

كاندوم مردانه

The Male Condom



كاندوم مردانه چيست؟

کاندوم مردانه لوله ای از لاستیک نرم لاتکس است که یک طرف آن بسته می باشد. آن را روی آلت مردانه شق شده در طول سکس می پوشانند تا از بارداری جلوگیری شود. کاندوم های مردانه غیر لاتکسی هم موجود است که از پلی یورتان درست شده. کاندوم مردانه معمولا فقط کاندوم نام دارد. کاندومها برای جلوگیری از عفونت های مسری جنسی مانند اچ آی وی بکار می روند.

كاندوم چگونه كار مى كند؟

وقتی مرد ارضا می شود این منی وی را میگیرد. بنابراین اسپرم موجود در منی به تخمک جهت شروع بارداری نمی رسد.

چقدر موثر است؟

کاندومها در صورت استفاده صحیح بسیار خوب کار می کنند. بین ۸۲ % تا ۹۸ % موثرند که بستگی به نحوه استفاده از آنها دارد. این بدان معنی است که اگر ۱۰۰ زوج از آنها در سال استفاده کنند بین ۲ تا ۱۸ زن باردار می شوند.

چه کسی از کاندوم استفاده می کند؟


اغلب مردان می توانند از کاندوم استفاده کنند.

چگونه از گاندوم استفاده کنیم؟

- کاندومها بطور جداگانه در پاکتها بسته بندی شده اند، پس ابتدا
 با دقت پاکت را باز کرده مواظب باشید که با ناخنتان کاندوم را
 پاره نکنید.
- کاندوم لوله شده و جمع شده است. شکل یک دایره نرم پلاستیکی با ریم کلفت است که در حقیقت همان کاندوم رول شده است. اطمینان حاصل کنید که ریم آن به طرف مرکز جمع شده باشد همان سمتی که به طرف شماست. این برای آن مهم است که راحت تر به طرف پایین برود.
- مرکز دایره را یعنی همان جایی که شل است را با انگشت شصت و دو انگشت اول بگیرید و فشار دهید. این کار فضا برای منی در زمانی که آب شما می آید ایجاد می کند. بعضی از کاندوم ها فرم خاصی در بالایشان دارند که بر آمدگی است که به این منظور تعبیه شده است.



- با استفاده از دست دیگر (انگشت شصت و دو انگشت دیگر) کاندوم را به طرف پایین تا انتهای شفت آلت تناسلی بکشید.
- در صورت لزوم مایع لغزنده کننده ای که
 در آب حل می شود به بیرون کاندوم جهت
 لغزنده کردن آن بزنید.
- بعد از سکس و قبل از اینکه آلتتان شل شود از انتهای کاندوم بگیرید تا در نیاید و یا آب منی به بیرون نریزد و با دقت از داخل همسرتان بیرون بکشید.
- کاندوم را در بیاورید و انتهای باز آن را گره بزنید که منی داخل آن بماند.
- کاندوم را در دستمال کاغذی پیچیده و به ظرف آشغال بیاندازید. آن را به توالت نیاندازید و سیفون نکشید.



یادتان باشد که:

- كاندوم ها را دور از حرارت و نور آفتاب نگهداريد.
 - تاریخ انقضا آن را قبل از استفاده چک کنید.
 - چک کنید که پاکت آن پاره یا باز نشده باشد.
- قبل از پوشیدن کاندوم تماس با آلت تناسلی نداشته باشید.

آیا عوارض جانبی دارد؟

عوارض جانبی ندارد مگر اینکه شما به لاستیک لاتکس یا مایع لغزاننده حساسیت داشته باشید. این خیلی نادر است. اگر شما یا همسرتان به لاستیک لاتکس حساسیت دارید، می توانید از کاندوم های بدون لاتکس پلی یورتان به جای آن استفاده کنید.



Reproductive & Sexual Health

clinical services & information (خدمات کلینیکی و اطلاعات) | education & training (آموزش و تربیت) research (تحقیق) | international development (توسعه بین المللی)

سازمان برنامه ریزی خانواده (فامیلی پلنینگ) ایالت نیو ساوٹ ولز یک سازمان غیر انتفاعی است که توسط وز ارت بهداشت ایالت نیو ساوٹ ولز کمک مالی می شود.

كاندوم را چگونه تهيه كنيم؟

کاندوم های لاتکس را می توانید از کلینیک فامیلی پلنینگ، داروخانه های، کلینیک های سلامت جنسی، دستگاه های فروش اتوماتیک، سوپرمارکت ها و سفارش پستی بخرید. کاندوم های غیر لاتکسی در اغلب سوپرمارکتها و داروخانه ها موجودند.

چیزهایی که باید به خاطر بسپاریم

از كاندوم فقط يكبار بايد استفاده كرد

کاندوم ها خراب می شوند پس آنها را در جای خنک نگهداشته و قبل از استفاده تاریخ انقضا را چک کنید و گرنه ممکن است پاره شوند. چرب کننده های روغنی هم می توانند کاندوم های لاتکس را پاره کنند.

کاندومها خودشان لغزنده هستند اما لغزنده کننده های حلال در آب را هم می توان به بیرون آن ها زد.

اگر فراموش کردید که از کاندوم استفاده کنید یا فکر می کنید کار نکرد برای مثال پاره شد یا در طول سکس در آمدمی توانید قرص ضد بارداری اضطراری را از داروخانه تهیه کنید. یک خانم این قرص را می تواند تا ۱۲۰ ساعت بعد از سکس بدون حفاظ مصرف کند تا شانس بارداری کاهش بیابد.

جهت اطلاعات بيشتر

- با خط تلفن فامیلی پانینگ ایالت نیو ساوث ولز شماره ۴۵۸۸۸۶ تماس و یا به این
 - تارنما بروید www.fpnsw.org.au/talkline
 - ان آر اس (برای افراد ناشنوا) ۱۳۳۶۷۷
- یا به نز دیک ترین کلینیک فامیلی پلنینگ () مراجعه کنید (Family Planning)

كتابفروشى | talkline 1300 658 886

clinical services & information (خدمات کلینیکی و اطلاعات) | education & training (آموزش و تربیت) research (تحقیق) | international development (توسعه بین المللی)

سازمان برنامه ریزی خانواده (فامیلی پلنینگ) ایالت نیو ساوث ولز یک سازمان غیر انتفاعی است که توسط وزارت بهداشت ایالت نیو ساوث ولز کمک مالی می شود.



THE MALE CONDOM



What Is The Male Condom?

The male condom is a tube of fine latex rubber which is closed at one end. It is worn on an erect (stiff) penis during sex, to prevent pregnancy. There are also non-latex male condoms made from a material called polyurethane. The male condom is usually just called a 'condom'. Condoms also help to prevent sexually transmissible infections (STIs), including HIV.



How Does A Condom Work?

It catches the semen when the man ejaculates. Then the sperm in the semen cannot travel up to meet an egg and start a pregnancy.

How Well Does It Work?


Condoms can work very well if they are used correctly every time. They are between 82% and 98% effective, depending how well they are used. This means that if 100 couples use them for a year then between 2 and 18 women will become pregnant.

Who Can Use A Condom?

Most men can use a condom.

How Do You Use A Condom?

- Condoms are individually wrapped in packets, so first carefully open the packet, making sure you do not tear the condom with your fingernails
- The condom will be rolled up. It will look like a circle of loose fine rubber with a thick rim, which is actually the rolled up condom. Make sure the rim is rolled towards the centre on the side facing you. This is important as it will then roll down properly
- Hold and squeeze the centre of the circle where the condom is loose, with your thumb and first two fingers. This will make space for the semen when you come. Some condoms have a special shape like a nipple at the end especially for this purpose
- The penis must be erect before you put on the condom. With the condom still rolled up, and while still holding the tip, put the condom on the head of the penis like a cap
- Using your other hand (thumb and first two fingers), roll the condom all the way down to the base of the penis
- outside of the condom if required




www.fpnsw.org.au | talkline 1300 658 886 | bookshop

clinical services & information | education & training | research | international development Family Planning NSW is a not-for-profit organisation funded by the NSW Ministry of Health





- After sex and before the penis has become soft, hold onto the condom at the base of the penis so that the condom does not come off, and semen does not leak out, and carefully pull away from your partner
- Take off the condom and tie a knot in the open end to keep the semen inside the condom
- Wrap the condom in a tissue or some paper, and put it in the bin. Do not flush it down the toilet



Remember:

- Store condoms away from heat and sunlight
- Check the expiry date on the pack before you use it
- Check that the condom packet has not been torn or opened
- Do not have any genital contact before you put the condom on

Are There Any Side Effects?

There are no side effects, unless you are allergic to latex rubber or to the lubricant. This is very rare.

You can use non-latex polyurethane condoms as an alternative if you, or your partner, are allergic to latex rubber.

How Do You Get Condoms?

You can buy latex condoms from Family Planning Clinics, pharmacies, sexual health clinics, vending machines, supermarkets and by mail order. Non-latex condoms are available at most large supermarkets and pharmacies.

Things To Remember

A condom should be used ONE TIME ONLY.

Condoms can perish so keep them in a cool place and use them before the expiry date, otherwise they may break. Oil based lubricants can also make latex condoms break.

Condoms are self-lubricated but additional water-based lubricants can be also be used on the outside of the condom.

If you forget to use a condom, or you think it has not worked e.g. it breaks or slips off during sex, you can buy the emergency contraceptive pill (ECP) from a pharmacy. A woman can take the ECP within 120 hours after unprotected sex, to reduce the chance of pregnancy.

For Further Information

- Contact the Family Planning NSW Talkline on 1300 658 886 or go to www.fpnsw.org.au/talkline
- NRS (for deaf) 133 677
- Or visit your nearest Family Planning clinic

Reviewed: June 2014 | FPNSW 06/14

The information in this Factsheet has been provided for educational purposes only. Family Planning NSW has taken every care to ensure that the information is accurate and up-to-date at the time of publication. Individuals concerned about any personal reproductive or sexual health issue are encouraged to seek advice and assistance from their health care provider or visit an Family Planning NSW clinic.



 $\label{lem:clinical services & information | education \& training | research | international development \\ \textit{Family Planning NSW} is a not-for-profit organisation funded by the NSW Ministry of Health \\ \\$

