

Fact Sheet - Lao

ການເຮັດໝັນແບບຕັນທໍ່ Tubal Sterilisation



ການເຮັດໝັນແບບຕັນທໍ່ແມ່ນຫຍັງ?

ການເຮັດໝັນແບບຕັນທໍ່ແມ່ນການຜາຕັດເຊິ່ງແມ່ຍິງເຮັດເພື່ອບໍ່ໃຫ້ຕັ້ງທ້ອງໄດ້. ອັນນີ້ ແມ່ນວິທີຄຸມກຳເນີດແບບຖາວອນ.

ການເຮັດໝັນແບບຕັນທໍ່ເຮັດວຽກແບບໃດ?

ການຜາຕັດຈະຕັນທໍ່ຮວຍໄຂຂອງແມ່ຍິງສະນັ້ນເຊື້ອສະເປີມຈຶ່ງບໍ່ສາມາດເດີນທາງເຂົ້າໄປພົບກັບໄຂຈາກຮວຍໄຂ (ໄຂ) ເຊິ່ງຈະເຮັດໃຫ້ຕັ້ງທ້ອງ.

ການເຮັດໝັນແບບນີ້ເຮັດວຽກໄດ້ດີປານໃດ?

ການເຮັດໝັນແບບຕັນທໍ່ເຮັດວຽກໄດ້ດີຫຼາຍ. ມັນເຮັດວຽກໄດ້ຜິນກວ່າ 99%.

ຈະເກີດຫຍັງຂຶ້ນເມື່ອທ່ານໄດ້ເຮັດໝັນແບບຕັນທໍ່?

ວິທີທີ່ເຮັດຫຼາຍທີ່ສຸດເອີ້ນວ່າ ລາປາຣອສໂກປິກ ສະເຕຣິລາຍເຊເຊິນ (Laparoscopic Sterilisation). ເມື່ອເຮັດໝັນວິທີນີ້ ຕາມປົກກະຕິແມ່ຍິງຈະຖືກວາງຢາສະຫຼົບ, ແລະຢູ່ໂຮງໝໍຄົນໜຶ່ງ. ທ່ານໝໍຈະຕັດເປັນຮອຍນ້ອຍໆໜຶ່ງຫຼືສອງຮອຍຢູ່ໜ້າທ້ອງ. ຈາກນັ້ນເພິ່ນກໍຈະເອົາ ລາປາຣອສກົບ (ກອງຈຸນລະທັດຂະໜາດນ້ອຍ) ສອດເຂົ້າໄປເພື່ອໃຫ້ທ່ານໝໍມອງເຫັນທໍ່ໄດ້. ທໍ່ຈະຖືກຕັນໂດຍຂອງຫຼົບ, ວົງແຫວນ, ຫຼືບໍ່ດັ່ງນັ້ນກໍຕັດແລະມັດໄວ້. ວິທີການແບບໃໝ່ເອີ້ນວ່າ Essure®. ການເຮັດໝັນແບບນີ້ວັດສະດຸນ້ອຍໆ (micro-inserts) ຈະຖືກໃສ່ໃນແຕ່ລະທໍ່ຮວຍໄຂໂດຍຜ່ານທາງຊ່ອງຄອດແລະປາກມິດລູກ.

ການເຮັດໝັນແບບ Essure® ບໍ່ມີການຕັດແລະສາມາດເຮັດໂດຍໃສ່ຢາມືນ. ຈະໃຊ້ເວລາປະມານ 30 ນາທີ ແລະ ແມ່ຍິງສ່ວນຫຼາຍສາມາດກັບບ້ານໄດ້ຫຼັງຈາກໜຶ່ງຊົ່ວໂມງ.

ຫຼັງຈາກເຮັດໝັນແບບຕັນທໍ່

ຫຼັງຈາກຖືກວາງຢາສະຫຼົບແລ້ວ ທ່ານອາດຮູ້ສຶກວິນ (ຮູ້ສຶກບໍ່ສະບາຍ) ຫຼື ອອນເພັຍ ພາຍໃນເວລາ ມື້ສອງມື້.

ຫຼັງຈາກເຮັດ laparoscopy ແລ້ວ, ທ່ານອາດເຈັບແຕ່ເລັກນ້ອຍທີ່ທ້ອງແລະປາໄຫຼ. ປົກກະຕິ ຈະໃຊ້ເວລາປະມານເຈັດມື້ ກ່ອນແມ່ຍິງຈະຮູ້ສຶກສະບາຍຂຶ້ນຕາມເດີມ. ແມ່ຍິງທີ່ເຮັດ Essure® ໂດຍໃສ່ຢາມືນຕາມປົກກະຕິຈະເຊົາໄວກວ່າ.

ມັນຈະເປັນຜົນເມື່ອໃດ?

ສຳລັບວິທີ ລາປາຣອສໂກປິກ ທ່ານຈະໄດ້ຮັບການຄຸມກຳເນີດໃນທັນທີ. ວິທີ Essure® ຕາມປົກກະຕິຈະໃຊ້ສາມເດືອນກ່ອນມັນຈະເຮັດວຽກ, ແຕ່ມັນອາດໃຊ້ເວລາດົນກວ່ານັ້ນ.

ທ່ານຕ້ອງໃຊ້ວິທີຄຸມກຳເນີດແບບອື່ນຈົນກວ່າຜົນການກວດສະແດງໃຫ້ເຫັນວ່າ ທ່ານໄດ້ຖືກຕັນເຕັມທີ່ແລ້ວ.

ມີຜົນຂ້າງຄຽງຫຍັງບໍ່?

ເມື່ອເຮັດການຜາຕັດ, ທ່ານອາດມີອາການແຊກຊ້ອນໄດ້ ເຊັ່ນເລືອດອອກແລະເກີດການຕິດເຊື້ອ, ແຕ່ວ່າອັນນີ້ບໍ່ຄ່ອຍເກີດຂຶ້ນ.


ຈະເກີດຫຍັງຂຶ້ນຖ້າມັນບໍ່ເຮັດວຽກ?

ມີປະມານສອງຫາເກົ້າຄັ້ງ ໃນການຜາຕັດ 1,000 ຄັ້ງທີ່ບໍ່ໄດ້ຜົນ. ມັນອາດເກີດຂຶ້ນຫຼັງຈາກຫຼາຍປີຜ່ານໄປ. ເມື່ອມັນລົ້ມເຫຼວ ກໍມີໂອກາດສູງຂຶ້ນທີ່ເກີດການຖືພານອກພິກ (ນອກມິດລູກ).

ການຕັນທໍ່ຈະປັ້ນຄືນໄດ້ບໍ່?

ບາງຄັ້ງ ການເຮັດໝັນແບບຕັນທໍ່ອາດປັ້ນຄືນໄດ້, ແຕ່ວ່າເຖິງປັ້ນໄດ້ກໍມີພຽງແຕ່ 50% ເທົ່ານັ້ນທີ່ແມ່ຍິງຈະຕັ້ງທ້ອງໄດ້. ໃນຂະນະດຽວກັນກໍມີຄວາມສູງສູງທີ່ຈະຖືພານອກພິກ. ການເຮັດໝັນແບບ Essure® ບໍ່ສາມາດປັ້ນຄືນໄດ້.

ຖ້າແມ່ຍິງຄິດວ່າລາວອາດຈະຢາກມີລູກໃນອະນາຄົດ ລາວບໍ່ຄວນເຮັດໝັນແບບຕັນທໍ່. ທາງທີ່ດີທີ່ສຸດ ແມ່ນບໍ່ຄວນຕັດສິນໃຈທີ່ຍິ່ງໃຫຍ່ແບບນີ້ ຖ້າທ່ານກຳລັງກິດດັນ, ເຊັ່ນວ່າ ຫຼັງຈາກຫາກໍຄອດລູກ, ຫຼືຫຼຸລູກ, ຫຼືເມື່ອທ່ານມີບັນຫາອື່ນໆ.



www.fpnsw.org.au | [talkline 1300 658 886](tel:1300658886) | [bookshop](#)

ບໍລິການປົນປົວ & ໃຫ້ ຂໍ້ມູນ | ສຶກສາ ຝຶກງານ | ຄົ້ນຄວ້າ | ພັດທະນາສາກົນ

ພະແນກວາງແຜນຄອບຄົວ ຮັດ NSW ແມ່ນອົງການທີ່ບໍ່ຫວັງຜົນກຳໄລ ໄດ້ຮັບການອຸປະຖຳໂດຍກະຊວງສາທາລະນະສຸກ ຮັດ NSW.

ຂໍ້ມູນໃນເຈ້ຍຂໍ້ມູນນີ້ແມ່ນສະໜອງເພື່ອຈຸດປະສົງດ້ານການສຶກສາເທົ່ານັ້ນ. FPNSW ໄດ້ພະຍາຍາມສຸດຄວາມສາມາດເພື່ອຮັບປະກັນວ່າຂໍ້ມູນນີ້ຖືກຕ້ອງແລະ ຫັນກັບເຫດການ ໃນເວລາພິມ. ທ່ານໃດທີ່ມີຄວາມກັງວົນກ່ຽວກັບການລະບົບສືບພັນ ສວນຕົວຫຼືມີບັນຫາສຸຂະພາບທາງເພດ ເຮົາຂໍແນະນຳໃຫ້ໄປຂໍຄຳປຶກສາແລະ ະຂໍຄວາມຊ່ວຍເຫຼືອຈາກແພດຮັກສາສຸຂະພາບຂອງຕົນຫຼືໄປທີ່ຄລິນິກວາງແຜນຄອບຄົວ. ທີ່ບໍ່ທວນ: ມິຖຸນາ 2014 | FPNSW 06/14



ທ່ານຈະເຮັດໝັ້ນແບບຕົ້ນທີ່ໄດ້ຢູ່ໃສ?

ການເຮັດໝັ້ນແບບຕົ້ນທີ່ສາມາດເຮັດໄດ້ໂດຍທ່ານໝໍໃນເຂດທ້ອງຖິ່ນ, ສູຕິນາຣີແພດ, ພະແນກຄົນເຈັບພາຍນອກຂອງໂຮງໝໍ ຫຼື ຄລີນິກວາງແຜນຄອບຄົວ. ຖ້າຕ້ອງການຂໍ້ມູນເລື່ອງ Essure® ຈົ່ງເຂົ້າໄປເບິ່ງທີ່ www.essure.com

ຖ້າຕ້ອງການຂໍ້ມູນເພີ່ມເຕີມ

- ໃຫ້ຕິດຕໍ່ສາຍສົນທະນາຂອງພະແນກວາງແຜນຄອບຄົວແຫ່ງລັດ NSW ທີ່ເລກໂທ 1300 658 886 ຫຼືເຂົ້າໄປເບິ່ງ www.fpnsw.org.au/talkline
- NRS (ສຳລັບຄົນພິການຫຼື) 133 677
- ຫຼືໄປທີ່ຄລີນິກວາງແຜນຄອບຄົວໃກ້ບ້ານທ່ານ

www.fpnsw.org.au | [talkline 1300 658 886](tel:1300658886) | [bookshop](#)

ບໍລິການປິ່ນປົວ&ໃຫ້ ຂໍ້ມູນ | ສຶກສາ ຝຶກງານ | ຄົ້ນຄວ້າ | ພັດທະນາສາກົນ

ພະແນກວາງແຜນຄອບຄົວ ຮັດ NSW ແມ່ນອົງການທີ່ບໍ່ຫວັງຜົນກຳໄລ ໄດ້ຮັບການອຸປະຖຳໂດຍກະຊວງສາທາຣະນະສຸກ ຮັດ NSW.

ຂໍ້ມູນຢູ່ໃນເຈ້ຍຂໍ້ມູນນີ້ແມ່ນສະໜອງເພື່ອຈຸດປະສົງດ້ານການສຶກສາເທົ່ານັ້ນ. FNPNSW ໄດ້ພະຍາຍາມສຸດຄວາມສາມາດເພື່ອຮັບປະກັນວ່າຂໍ້ມູນນີ້ຖືກຕ້ອງແລະ ຫັນກັບເຫດການ ໃນເວລາພິມ. ທ່ານໃດທີ່ມີຄວາມກັງວົນກ່ຽວກັບການລະບົບສືບພັນ ສວນຕົວຫຼືມີບັນຫາສຸຂະພາບທາງເພດ ເຮົາຂໍແນະນຳໃຫ້ໄປຂໍຄຳປຶກສາແລະ ະຂໍຄວາມຊ່ວຍເຫຼືອຈາກແພດຮັກສາສຸຂະພາບຂອງຕົນຫຼືໄປທີ່ຄລີນິກວາງແຜນຄອບຄົວ.

ທົບທວນ: ມິຖຸນາ 2014 | FPNSW 06/14



Fact Sheet - English

TUBAL STERILISATION



What Is Tubal Sterilisation?

Tubal sterilisation is an operation that women can have so that they cannot become pregnant. It is a permanent form of contraception.

How Does Tubal Sterilisation Work?

The operation blocks a woman's Fallopian tubes so that the sperm cannot travel up to meet the ovum (egg) and start a pregnancy.

How Well Does It Work?

Tubal sterilisation works very well. It is more than 99% effective.

What Happens When You Have A Tubal Sterilisation?

The most common method is called Laparoscopic Sterilisation. With this method women usually have a general anaesthetic, and stay overnight in hospital.

The doctor makes one or two small incisions in the abdomen. Then a laparoscope (a tiny telescope) is inserted so the doctor can see the tubes. The tubes are closed off with clips, rings, or by cutting and tying. A newer method is called Essure®. With this method small micro-inserts are placed in each Fallopian tube through the vagina and cervix.

With Essure® there are no incisions and it can be done under a local anaesthetic. It takes about 30 minutes and most women can go home after about one hour.

After A Tubal Sterilisation

After a general anaesthetic you may have nausea (sick feeling) or tiredness for a couple of days.

After laparoscopy, you may have some pain in your abdomen and shoulder. It usually takes about seven days for a woman to feel quite well again. Women who have the Essure® procedure with a local anaesthetic usually recover more quickly.

When Will It Be Effective?

For laparoscopic methods you will be covered for contraception right away. The Essure® method usually takes three months to work, but it may take longer.

You should use another method of contraception until tests show that the tubes are fully blocked.

Are There Any Side Effects?

With any operation, you can have complications such as bleeding and infection, but they are not common.

What If It Doesn't Work?


About two to nine in 1,000 operations fail. It can happen even years later. If it fails there is more chance of a pregnancy being ectopic (outside the uterus).

Can Tubal Sterilisation Be Reversed?

Sometimes laparoscopic sterilisation can be reversed, but even then only about 50% of women become pregnant. There is also a higher risk of ectopic pregnancy. The Essure® method cannot be reversed.

If a woman thinks there is any chance she may want a child in the future she should not have tubal sterilisation. It is best not to make such a big decision if you are under stress, such as just after having a baby, or a miscarriage, or when you have other problems.

TUBAL LIGATION



www.fpnsw.org.au | talkline 1300 658 886 | [bookshop](#)

clinical services & information | education & training | research | international development

Family Planning NSW is a not-for-profit organisation funded by the NSW Ministry of Health

The information in this Fact Sheet has been provided for educational purposes only. FNPNSW has taken every care to ensure that the information is accurate and up-to-date at the time of publication. Individuals concerned about any personal reproductive or sexual health issue are encouraged to seek advice and assistance from their health care provider or visit a Family Planning Clinic. Reviewed May 2014/FPNSW 05/14

How Do You Get A Tubal Sterilisation?

A tubal sterilisation can be arranged through a local doctor, a gynaecologist, a hospital outpatient department or Family Planning clinic. For information on Essure® go to www.essure.com

For Further Information

- Contact the Family Planning NSW Talkline on 1300 658 886 or go to www.fpnsw.org.au/talkline
- NRS (for deaf) 133 677
- Or visit your nearest Family Planning clinic

Reviewed: June 2014 | FPNSW 06/14

The information in this Factsheet has been provided for educational purposes only. Family Planning NSW has taken every care to ensure that the information is accurate and up-to-date at the time of publication. Individuals concerned about any personal reproductive or sexual health issue are encouraged to seek advice and assistance from their health care provider or visit an Family Planning NSW clinic.

www.fpnsw.org.au | [talkline 1300 658 886](tel:1300658886) | [bookshop](#)

clinical services & information | education & training | research | international development

Family Planning NSW is a not-for-profit organisation funded by the NSW Ministry of Health

Family Planning QLD 07 3250 0240 | Family Planning TAS 03 6273 9117 | Family Planning VIC 03 9257 0121

Family Planning WA 08 9227 6177 | Family Planning Welfare Association of NT 08 8948 0144

Sexual Health and Family Planning ACT 02 6247 3077 | SHine SA 08 8300 5300