

Fact Sheet - Lao


ວິງແຫວນຊ່ອງຄອດ (Nuvaring®)

The Vaginal Ring (Nuvaring®)



ວິງແຫວນຊ່ອງຄອດແມ່ນຫຍັງ?

ວິງແຫວນຊ່ອງຄອດເອີ້ນວ່າ ນູວາຣິງ (NuvaRing®). ມັນແມ່ນແຫວນຢາ ງອ່ອນໆກວ່າໆປະມານທ່າຊິງຕິແມັດ ເຄິ່ງ. ມັນມີສ່ວນປະກອບທີ່ເປັນຮໍໂມນ ອອສໂຕຣເຈິນແລະໂປຣແຈສໂຕເຈິນ, ທີ່ຄ້າຍຄືກັນກັບຢາເມັດຄຸມກຳເນີດແບບປະສົມ. ວິງແຫວນຈະຖືກເອົາໄວ້ໃນຊ່ອງຄອດແລະຮໍໂມນຈະຖືກຄູກຊີມເຂົ້າໄປໃນຮ່າງກາຍເພື່ອຢຸດຢັ້ງບໍ່ໃຫ້ທ່ານຕັ້ງທ້ອງ. ແມ່ຍິງສ່ວນຫຼາຍບໍ່ຮູ້ສຶກວ່າມີວິງແຫວນຢູ່ໃນຊ່ອງຄອດ ເມື່ອໃສ່ມັນເຂົ້າທີ່ແລວ.



ວິງແຫວນເຮັດວຽກຢ່າງໃດ?

ວິງແຫວນຊ່ອງຄອດຈະຢູ່ໃນຊ່ອງຄອດເປັນເວລາສາມອາທິດ. ຫຼັງຈາກນັ້ນ ທ່ານກໍເອົາມັນອອກ ເປັນເວລາໜຶ່ງອາທິດ. ທ່ານຈະມີເລືອດທີ່ຄ້າຍເລືອດປະຈຳເດືອນອອກເປົາໆ, ແລະຫຼັງຈາກນັ້ນເຈັດວັນທ່ານກໍເອົາວິງແຫວນອັນໃໝ່ໄວ້ໄປໃນຊ່ອງຄອດ. ຮໍໂມນຈະຢຸດຢັ້ງບໍ່ໃຫ້ຮວຍໄຂຂອງແມ່ຍິງປ່ອຍໄຂອອກມາໃນແຕ່ລະເດືອນ, ສະນັ້ນ ການຕັ້ງທ້ອງຈຶ່ງບໍ່ເກີດຂຶ້ນ.

ມັນເຮັດວຽກໄດ້ດີປານໃດ?

ຖ້າໃຊ້ໃຫ້ຖືກຕ້ອງທີ່ສຸດ ວິງແຫວນຈະໃຊ້ເປັນຜົນເກີນກວ່າ 99%. ອັນນີ້ ໝາຍຄວາມວ່າຖ້າແມ່ຍິງ 100 ຄົນໃຊ້ມັນຢ່າງຖືກຕ້ອງໃນປີໜຶ່ງ, ຈະມີນ້ອຍກວ່າໜຶ່ງຄົນທີ່ຈະຕັ້ງທ້ອງ. ການໃຊ້ໃນຄວາມເປັນຈິງ ຫຼື ໃນ ຊີວິດຈິງ ນັ້ນຈະເປັນຜົນນ້ອຍກວ່າໂດຍມີແມ່ຍິງຈຳນວນຮອດເກົ້າຄົນໃນທຸກໆຮອຍຄົນທີ່ຕັ້ງທ້ອງໃນປີໜຶ່ງ. ທ່ານຕ້ອງຈື່ເອົາວິງແຫວນອອກແລະເອົາອັນໃໝ່ໄວ້ຄືນອີກໃຫ້ຕັ້ງຕໍ່ເວລາ.

ແມ່ນໃຜສາມາດໃຊ້ວິງແຫວນຊ່ອງຄອດໄດ້?

ແມ່ຍິງສ່ວນຫຼາຍໃຊ້ວິງແຫວນຊ່ອງຄອດໄດ້. ມັນເປັນການດີ ຖ້າທ່ານບໍ່ຄອຍຈື່ກິນຢາທຸກໆມື້, ແລະມັນເປັນວິທີທີ່ໃຊ້ແທນການຝັງຫຼືໃຊ້ IUD.

ແມ່ນໃຜບໍ່ຄວນໃຊ້ວິງແຫວນຊ່ອງຄອດ?

ແມ່ຍິງບໍ່ຄວນໃຊ້ວິງແຫວນຊ່ອງຄອດຖ້າລາວເປັນເລືອດຂອດໃນຂາ, ເປັນໂຮກເສັ້ນເລືອດໃນສະໝອງຫຼືຫົວໃຈວາຍ, ມີບັນຫາເລື້ອງຕັບ, ຄວາມດັນເລືອດສູງ, ຫຼືເປັນມະເຮັງເຕົ້ານົມ. ທ່ານອາດໃຊ້ວິງແຫວນຊ່ອງຄອດບໍ່ໄດ້ຖ້າທ່ານໃຫ້ລູກກິນນົມແມ່ແລະລູກຂອງທ່ານອາຍຸຕໍ່າກວ່າ 6 ເດືອນ. ມັນເປັນສິ່ງສຳຄັນຫຼາຍທີ່ຕ້ອງປຶກສາກັບທ່ານໝໍເພື່ອໃຫ້ໝັ້ນໃຈວ່າເປັນການປອດໄພທີ່ທ່ານຈະໃຊ້ວິງແຫວນຊ່ອງຄອດ.

ຢ່າຢ້າງອື່ນບາງຊະນິດກໍອາດເຮັດໃຫ້ວິງແຫວນຊ່ອງຄອດເຮັດວຽກບໍ່ໄດ້ຜົນດີແລະທ່ານໝໍຈະອະທິບາຍໃຫ້ທ່ານຟັງກ່ຽວເລື່ອງນີ້ແລະສິ່ງອື່ນໆທີ່ທ່ານຕ້ອງຮູ້ກ່ອນຕັດສິນໃຈໃຊ້ວິງແຫວນນີ້.

ມີຜົນຂ້າງຄຽງຫຍັງບໍ່?

ແມ່ຍິງສ່ວນຫຼາຍຮູ້ສຶກສະບາຍດີໃນຂະນະທີ່ໃຊ້ວິງແຫວນຊ່ອງຄອດ, ແຕ່ວ່າມັນເປັນເລື່ອງປົກກະຕິທີ່ຈະມີຜົນຂ້າງຄຽງບາງຢ່າງໃນເບື້ອງຕົ້ນ. ທ່ານອາດເຈັບນົມ, ເຈັບຫົວຫຼືປວດຮາກ (ຮູ້ສຶກບໍ່ສະບາຍ). ອາການນີ້ຈະບັນເທົາລົງຫຼັງຈາກໜຶ່ງຫຼືສອງເດືອນ. ບັນຫາສຸຂະພາບຮຸນແຮງທີ່ເກີດຈາກວິງແຫວນຊ່ອງຄອດນັ້ນແມ່ນນ້ອຍທີ່ສຸດ, ແຕ່ວ່າໃຫ້ຂໍໃຫ້ທ່ານໝໍອະທິບາຍໃຫ້ທ່ານຟັງກ່ຽວກັບເລື່ອງນີ້.


ວິງແຫວນຊ່ອງຄອດຖືກສອດວິທີໃດ?

ໃຫ້ບິບແຫວນໃຫ້ຢູ່ລະຫວ່າງນິ້ວໄປ້ແລະນິ້ວຊີ້ (ຮູບ1).


ໃຫ້ຄອຍໆສອດມັນເຂົ້າໄປໃນຊ່ອງຄອດ (ຮູບ2).

ບໍ່ມີທ່າທູ່ໃດໜຶ່ງທີ່ຖືວ່າຖືກຕ້ອງ - ຖ້າທ່ານຮູ້ສຶກວ່າຍັງບໍ່ສະບາຍ, ໃຫ້ຍູ້ມັນເຂົ້າໄປໃນຊ່ອງຄອດຕື່ມ. ກ້າມເນື້ອຂອງຊ່ອງຄອດຈະຈັບມັນໃຫ້ເຂົ້າທີ່, ເຖິງແມ່ນໃນລະຫວ່າງຫັດແຮງແລະຮວມເພດ.

(ຮູບ1)




(ຮູບ2)



ມັນຖືກເອົາອອກແນວໃດ?

ເມື່ອຈະເອົາວິງແຫວນອອກ ທ່ານກໍພຽງແຕ່ເອົານິ້ວມືເຂົ້າໄປໃນຊ່ອງຄອດ, ເອົານິ້ວເກາະວິງແຫວນແລະດຶງມັນອອກມາ (ຮູບ3).

(ຮູບ3)



ຮູບ 1-3 ຖືກນຳມາໃຊ້ໂດຍໄດ້ຮັບອະນຸຍາດຈາກ MSD Oss B.V., ໃນສັງກັດຂອງ Merck & Co., Inc., Whitehouse Station, New Jersey, USA. ສຽງລິຂະສິດເຕັມ. NuvaRing® ແມ່ນເຄື່ອງໝາຍຜະຫຼິດຕະພັນລົງທະບຽນ ຂອງ MSD Oss B.V.

www.fpnsw.org.au | [talkline 1300 658 886](tel:1300658886) | [bookshop](#)

ບໍລິການປິ່ນປົວ & ໃຫ້ ຂໍ້ມູນ | ສຶກສາ ຝຶກງານ | ຄົ້ນຄວ້າ | ພັດທະນາສາກົນ

ພະແນກວາງແຜນຄອບຄົວ ຮັດ NSW ແມ່ນອົງການທີ່ບໍ່ຫວັງຜົນກຳໄລ ໄດ້ຮັບການອຸປະຖຳໂດຍກະຊວງສາທາຣະນະສຸກ ຮັດ NSW.

ຂໍ້ມູນຢູ່ໃນເຈ້ຍຂໍ້ມູນນີ້ແມ່ນສະໜອງເພື່ອຈຸດປະສົງດ້ານການສຶກສາເທົ່ານັ້ນ. FPNSW ໄດ້ພະຍາຍາມສຸດຄວາມສາມາດເພື່ອຮັບປະກັນວ່າຂໍ້ມູນນີ້ຖືກຕ້ອງແລະທັນກັບເຫດການ ໃນເວລາພິມ. ທ່ານໃດທີ່ມີຄວາມກັງວົນກ່ຽວກັບການລະບົບສືບພັນ ສວນຕົວຫຼືມີບັນຫາສຸຂະພາບທາງເພດ ເຮົາຂໍແນະນຳໃຫ້ປະຕິບັດປຶກສາແລະຂໍຄວາມຊ່ວຍເຫຼືອຈາກແພດຮັກສາສຸຂະພາບຂອງຕົນຫຼືໄປທີ່ຄລິນິກບາງແຜນຄອບຄົວ. ທີ່ບໍ່ທວນ: ມິຖຸນາ 2014 | FPNSW 06/14



ຈະເກີດຫຍັງຂຶ້ນຖ້າຂ້ອຍລືມໃຊ້ມັນ?

ຖາທານສອດວົງແຫວນຊາເກີນ 24 ຊົ່ວໂມງຫຼັງຈາກທີ່ບໍ່ໄດ້ໃສ່ມາອາທິດໜຶ່ງ, ໃຫ້ສອດໃສ່ທັນທີທີ່ທານຈື່ໄດ້ແລະໃຫ້ໃຊ້ວິທີຄຸມກຳເນີດແບບອື່ນ (ເຊັ່ນຖົງອະນາໄມ) ເປັນເວລາເຈັດວັນ. ໃນກໍລະນີນີ້, ຖ້າທານຮວມແພດແບບບໍ່ປ້ອງກັນໃນຊ່ວງອາທິດທີ່ເອົາວົງແຫວນອອກ ທານອາດສຽງຕໍ່ການຕັ້ງທອງແລະຄວນພິຈາລະນາໃຊ້ຢາເມັດຄຸມກຳເນີດແບບສຸກເສີນ (ECP), ທີ່ມີຈຳໜ່າຍຕາມຮ່ານຂາຍຢາໂດຍບໍ່ຈຳເປັນຕ້ອງມີໃບສັ່ງຢາຈາກແພດ.

ທານຄວນປະວົງແຫວນໄວ້ໃນຊ່ວງຄອດເປັນເວລາ 3 ອາທິດ. ຖ້າມັນຖືກເອົາອອກໃນລະຫວ່າງນີ້ ແລະຢູ່ນອກຊ່ວງຄອດເປັນເວລານອຍກວ່າ 24 ຊົ່ວໂມງ ທານຄວນລ້າງມັນດ້ວຍນ້ຳແລະເອົາໃສ່ເຂົ້າຄືນໄວ້ທີ່ສຸດເທົ່າທີ່ຈະໄວ້ໄດ້. ທານຍັງຈະຖືກປ້ອງກັນບໍ່ໃຫ້ຕັ້ງທອງໄດ້ຢູ່.

ຖ້າວົງແຫວນຖືກເອົາອອກຈາກຊ່ວງຄອດເປັນເວລາເກີນ 24 ຊົ່ວໂມງ ທານຄວນລ້າງມັນດ້ວຍນ້ຳແລະເອົາໃສ່ເຂົ້າຄືນທັນທີທີ່ຈື່ໄດ້.

ທານຄວນໃຊ້ວິທີຄຸມກຳເນີດ (ເຊັ່ນ ຖົງອະນາໄມ) ເປັນເວລາເຈັດວັນ. ຖ້າວົງແຫວນຖືກເອົາອອກຈາກຊ່ວງຄອດເປັນເວລາເກີນ 24 ຊົ່ວໂມງໃນລະຫວ່າງອາທິດທີສາມ, ທານຄວນເອົາວົງແຫວນໃໝ່ໃສ່ທັນທີ - ອັນນີ້ແມ່ນການເລີ່ມຕົ້ນຂອງການໃຊ້ສາມອາທິດ. ທານອາດຈະບໍ່ມີເລືອດຄ້າຍເລືອດປະຈຳເດືອນອອກຕາມທີ່ເຄີຍເປັນ, ແຕ່ວ່າເລືອດອາດອອກເປັນກະບົດກະປອຍ.

ຂ້ອຍຈະໄປເອົາວົງແຫວນໄດ້ຢູ່ໃສ?

ທານຕ້ອງໄປຫາທານໝໍເພື່ອຂໍເອົາໃບສັ່ງຢາໄປຊື້ວົງແຫວນຊ່ວງຄອດ. ຈາກນັ້ນ ທານກໍສາມາດເອົາໃບສັ່ງຢາໄປຊື້ວົງແຫວນຊ່ວງຄອດໄດ້ຈາກຮ່ານຂາຍຢາ.

ຖ້າຕ້ອງການຂໍ້ມູນເພີ່ມເຕີມ

- ໃຫ້ຕິດຕໍ່ສາຍສົນທະນາຂອງພະແນກວາງແຜນຄອບຄົວແຫ່ງລັດ NSW ທີ່ເລກໂທ 1300 658 886 ຫຼືເຂົ້າໄປເບິ່ງ www.fpnsw.org.au/talkline
- NRS (ສຳລັບຄົນພິການຫຼື) 133 677
- ຫຼືໄປທີ່ຄລິນິກວາງແຜນຄອບຄົວໃກ້ບ້ານທ່ານ

www.fpnsw.org.au | [talkline 1300 658 886](tel:1300658886) | [bookshop](#)

ບໍລິການປິ່ນປົວ & ໃຫ້ ຂໍ້ມູນ | ສຶກສາ ຝຶກງານ | ຄົ້ນຄວ້າ | ພັດທະນາສາກົນ
ພະແນກວາງແຜນຄອບຄົວ ຮັດ NSW ແມ່ນອົງການທີ່ບໍ່ຫວັງຜົນກຳໄລ ໄດ້ຮັບການອຸປະຖຳໂດຍກະຊວງສາທາຣະນະສຸກ ຮັດ NSW.

ຂໍ້ມູນໃນເຈ້ຍຂໍ້ມູນນີ້ແມ່ນສະໜອງເພື່ອຈຸດປະສົງດ້ານການສຶກສາເທົ່ານັ້ນ. FNPNSW ໄດ້ພະຍາຍາມສຸດຄວາມສາມາດເພື່ອຮັບປະກັນວ່າຂໍ້ມູນນີ້ຖືກຕ້ອງແລະ ຫັນກັບເຫດການ ໃນເວລາພິມ. ທານໃດທີ່ມີຄວາມກັງວົນກ່ຽວກັບການລະບົບສືບພັນ ສວນຕົວຫຼືມີບັນຫາສຸຂະພາບທາງເພດ ເຮົາຂໍແນະນຳໃຫ້ໄປຂໍຄຳປຶກສາແລະ ຂໍຄວາມຊ່ວຍເຫຼືອຈາກແພດຮັກສາສຸຂະພາບຂອງຕົນຫຼືໄປທີ່ຄລິນິກວາງແຜນຄອບຄົວ.
ທົບທວນ: ມິຖຸນາ 2014 | FPNSW 06/14




Fact Sheet - English

THE VAGINAL RING (NUVARING®)



What Is The Vaginal Ring?

The vaginal ring is called a NuvaRing®. It is a soft plastic ring about five and a half centimetres across. It contains the hormones oestrogen and a progestogen, similar to the combined contraceptive Pill. It is placed in your vagina and the hormones are absorbed into the body to stop you getting pregnant. Most women cannot feel the vaginal ring once it is in place.



How Does It Work?

The vaginal ring stays in the vagina for three weeks. Then you take it out, for a week. You will have a light period-like bleed, and after seven days you put a new ring in your vagina. The hormones stop a woman's ovaries from releasing an egg each month, so a pregnancy cannot begin.

How Well Does It Work?

With perfect use the vaginal ring is more than 99% effective. This means that if 100 women use it correctly for one year, less than one will become pregnant. With typical or 'real life' use it is less effective with up to nine women in every hundred becoming pregnant in a year. You need to remember to take it out and put a new one in again at the right time.

Who Can Use The Vaginal Ring?

Most women can use the vaginal ring. It is good if you find it hard to remember to take a pill every day, and is an alternative to the implant or an IUD.

Who Should Not Use The Vaginal Ring?

Women should not use the vaginal ring if they have had a blood clot in their leg, a stroke or heart attack, liver problems, high blood pressure, certain types of migraine, or breast cancer. You may not be able to use the vaginal ring if you are breastfeeding and your baby is less than 6 months old. It is very important to talk with your doctor to make sure it is safe for you to use the vaginal ring. Some other medications can stop the vaginal ring from working properly and the doctor will tell you about these and other things you need to know before you decide to use it.

Are There Any Side Effects?

Most women feel well while using the vaginal ring, but it is common to have some side effects at first. You may have sore breasts, headaches or nausea (feeling sick). This usually settles down after one to two months. Serious health problems caused by the vaginal ring are rare, but ask your doctor to tell you about them.

How Is The Vaginal Ring Inserted?

Squeeze the ring between your thumb and index finger (figure 1). Gently insert it into your vagina (figure 2). There is no correct position – if it feels uncomfortable, slide it further into your vagina. Your vaginal muscles will keep it in place, even during exercise and sex.




Figure 1

www.fpnsw.org.au | talkline 1300 658 886 | [bookshop](#)

clinical services & information | education & training | research | international development

Family Planning NSW is a not-for-profit organisation funded by the NSW Ministry of Health

The information in this Fact Sheet has been provided for educational purposes only. FPNPNSW has taken every care to ensure that the information is accurate and up-to-date at the time of publication. Individuals concerned about any personal reproductive or sexual health issue are encouraged to seek advice and assistance from their health care provider or visit a Family Planning Clinic. Reviewed May 2014/FPNSW 05/14




Figure 2

How Is It Taken Out?

To remove the ring simply put your finger into your vagina, hook it around the ring and pull it out (figure 3).




Figure 3

Figures 1-3 reproduced with permission of MSD Oss B.V., a subsidiary of Merck & Co., Inc., Whitehouse Station, New Jersey, USA. All rights reserved. NuvaRing® is a registered trademark of MSD Oss B.V.

What If I Forget To Use It?

If you are more than 24 hours late inserting the vaginal ring after the week without it, insert it as soon as you remember and use another form of contraception (such as condoms) for seven days. In this case, if you have had unprotected sex during the ring free week you may be at risk of pregnancy and should consider the Emergency Contraceptive Pill (ECP), available from a pharmacy without needing a prescription.

You should leave the vaginal ring in the vagina for 3 weeks. If it is taken out during this time and has been out of the vagina for less than 24 hours you should rinse it with water and put it back in as soon as possible. You will still be covered for contraception.

If the vaginal ring has been out of the vagina more than 24 hours you should rinse it with water and put the ring back in as soon as you remember. You should use another form of contraception (such as condoms) for seven days.

If the ring has been out of the vagina for more than 24 hours during the third week, you should put in a new ring immediately – this will start the next three weeks of use. You may not get your usual period-like bleed, but you may get some spotting.

Where Can I Get The Vaginal Ring?

You need to see a doctor to get a script for the vaginal ring. You can then take the script and buy your vaginal rings from a pharmacy.

For Further Information

- Contact the Family Planning NSW Talkline on 1300 658 886 or go to www.fpnsw.org.au/talkline
- NRS (for deaf) 133 677
- Or visit your nearest Family Planning clinic

Reviewed: June 2014 | FPNSW 06/14

The information in this Factsheet has been provided for educational purposes only. Family Planning NSW has taken every care to ensure that the information is accurate and up-to-date at the time of publication. Individuals concerned about any personal reproductive or sexual health issue are encouraged to seek advice and assistance from their health care provider or visit an Family Planning NSW clinic.

www.fpnsw.org.au | talkline 1300 658 886 | bookshop

clinical services & information | education & training | research | international development

Family Planning NSW is a not-for-profit organisation funded by the NSW Ministry of Health

Family Planning QLD 07 3250 0240 | Family Planning TAS 03 6273 9117 | Family Planning VIC 03 9257 0121

Family Planning WA 08 9227 6177 | Family Planning Welfare Association of NT 08 8948 0144

Sexual Health and Family Planning ACT 02 6247 3077 | SHine SA 08 8300 5300